

The Scandinavian Journal of
*Clinical & Laboratory
Investigation*

EDITED BY
THE SCANDINAVIAN SOCIETY
FOR CLINICAL CHEMISTRY
AND CLINICAL PHYSIOLOGY

MANAGING EDITOR
O. Stokke

EDITORS

J. Hartiala	K. O. Pedersen
J. H. Henriksen	I. Romslo
E. Hultman	K. Rootwelt
M. Hørder	U-H. Stenman
K. Liewendahl	J. Waldenström

EDITORIAL SECRETARY
T. A. Hagve

Scand. J. Clin. Lab. Invest. - Vol. 53 - 1993

BLACKWELL SCIENTIFIC PUBLICATIONS

Published for

Medisinsk Fysiologisk Forenings Forlag, Oslo by
Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
54 University Street, Carlton, Victoria 3053, Australia

© 1993 Medisinsk Fysiologisk Forenings Forlag, Institute of
Clinical Biochemistry, Rikshospitalet, N-0027 Oslo 1.

Printed and bound in Great Britain
by the Devonshire Press, Torquay

Authorization to photocopy for internal or personal use or the
internal or personal use of specific clients is granted by
Medisinsk Fysiologisk Forenings Forlag for libraries and
other users registered with the Copyright Clearance Center
(CCC) Transactional Reporting Service, provided that the
base fee of \$10.00 per copy is paid directly to the CCC,
27 Congress Street, Salem, MA 01970, USA. This consent
does not extend to other kinds of copying, such as copying
for general distribution, for advertising or promotional pur-
poses, for creating new collective works or for resale. Special
requests should be addressed to the Editor. 0036-5513/93
\$10.00.

No. 1

Review

- Immunoassays for carcinoembryonic antigen: specificity and interferences: *O. P. Bormer* 1

Original Articles

- Effect of allopurinol on myocardial recovery during reperfusion: *H. Soncul, L. Gökgöz, S. Kalaycioglu, V. Sinci, M. Kaptanoglu & A. Ersöz* 11
- Human cationic, pancreatic elastase in acute pancreatitis: *H.-O. Häkansson, A. Borgström & K. Ohlsson* 17
- Effect of intravenous glucagon infusion on renal haemodynamics and renal tubular handling of sodium in healthy humans: *S. Schwartz Sørensen, E. Eiskjær, H. Ørskov & E. Bjerregaard Pedersen* 25
- Value of serum alkaline phosphatase, aminotransferases, gamma-glutamyl transferase, leucine aminopeptidase, and bilirubin in the distinction between benign and malignant diseases causing jaundice and cholestasis: results from a prospective study: *P. Pasanen, P. Pikkarainen, E. Alhava, K. Partanen & I. Penttilä* 35
- Comparative study of atrial peptides ANF (1-98) and ANF (99-126) as diagnostic markers of atrial distension in patients with cardiac disease: *P. Mathisen, C. Hall & S. Simonsen* 41
- Commutability of control materials in cholesterol measurement: *C. Franzini & P. Luraschi* 51
- Sodium-potassium pump activity in white blood cells from children with an increased risk of developing hypertension—The Odense Schoolchild Study: *H. S. Hansen, J. R. Nielsen, K. E. Pedersen, T. Johansen, N. A. Klitgaard, N. Hyldebrandt & K. Froberg* 57
- Central venous oxygen saturation during hypovolaemic shock in humans: *P. Madsen, H. Iversen & N. H. Secher* 67
- Improved electrophoretic method for the analysis of dystrophin in human muscle: *H. Stibler, L. Edström & A.-M. Olsson* 73

Technical Note

- Automated procedure for measuring TBARS for *in vitro* comparison of the effect of anti-oxidants on tissues: *L. Svensson, I. Börjesson, B. Kull & P. O. Sjöquist* 83

Letter to the Editor

- Coproporphyrin isomers in acute-intermittent porphyria: *E. I. Minder* 87

No. 2

Invited Review

- Release of atrial natriuretic factor: *G. Christensen* 91

Review of a Scandinavian Thesis

- Contributions to the treatment of primary liver cancer. 4'-Epidoxorubicin and cisplatin studied in hepatocarcinoma cell cultures and in partially hepatectomized rats: *K. Sundby Hall* 101

Original Articles

- Inhibitors of the arachidonic acid metabolism attenuate the thyroliberin (TRH) stimulated prolactin production without modifying the production of inositolphosphates in GH₄C₁ pituitary cells: *T. Bjørø, K. Englund, P.A. Torjesen & E. Haug* 111
- The contact system in human malignant and benign ascites: *L. Buø, T. S. Karlsrud, H. T. Johansen & A. O. Aasen* 117
- Glycation and oxidation of human low density lipoproteins reduces heparin binding and modifies charge: *A. Gugliucci Crerich & A. J. C. Stahl* 125
- An enzyme-linked immunosorbent assay for plasma-lactoferrin. Concentrations in 362 healthy, adult blood donors: *S. Antonsen, P. Wiggers, J. Dalhøj & O. Blaabjerg* 133
- An ELISA for elastase α_1 -protease inhibitor complexes in human plasma and serum: *S. Antonsen & M. Wanscher* 145
- Left ventricular end-diastolic dimensions measured at the P wave and Q wave during a randomized, double-blind one-year follow-up study comparing the effect of atenolol vs. hydrochlorothiazide + amiloride on blood pressure in men with mild to moderate hypertension: *J. E. Otterstad, G. Froeland & J. Erikssen* 155
- Assessment of glycaemic control in non insulin-dependent diabetes mellitus: *S. Wettre, H. J. Arnqvist & H. von Schenck* 163
- Luminol enhanced Fc-receptor dependent chemiluminescence from peripheral PMN cells. A methodological study: *K. Bergström & B. Åsman* 171
- Coagulation factors and lipid composition of the blood in treated and untreated hypertensive patients: *S. H. J. Donders, F. A. Th. Lustermaans & J. W. J. van Wersch* 179
- The effect of digoxin on the serum potassium concentration: *M. Edner, P. Ponikowski & T. Jogestrand* 187
- Increased urinary loss of high density lipoproteins in albuminuric insulin-dependent diabetic patients: *A. B. Haaber, M. Deckert, S. Stender & T. Jensen* 91
- Continuous blood gas monitoring in haemodialysis using an electrode inserted in the extra-corporeal dialysis circulation: *G. Nielsen, C. Bredahl & C. Nielsen* 197

Erratum

- Are ethane and pentane evolution and thiobarbituric acid reactivity specific for lipid peroxidation in erythrocyte membranes?: *O. M. Pitkanen* 201

No. 3

Review

- Cardiovascular and renal effects of atrial natriuretic factor: *G. Christensen* 203

Original Articles

- Van Beaumont's formula is valid during haemodialysis. Spectrophotometric determination of body circulating haemoglobin: *K. C. Rasmussen, R. Hansen, S. Fogelberg & N. Fogh-Andersen* 211
- Filtering clinically significant hypercalcaemia from non-significant hypercalcaemia at the laboratory level: *A. Frølich, B. Friis Nielsen, K. Conradsen & P. McNair* 215

Proliferation and triglyceride synthesizing activities of fibroblast-like cells derived from epididymal and subcutaneous adipose tissues of rats: <i>H. Inadera, Y. Ishikawa, K. Shirai, Y. Saito & S. Yoshida</i>	225
Importance of the exercise programme for the assessment of functional capacity after myocardial infarction: <i>P. K. Rønnevik, J. E. Nordrehaug & G. Von der Lippe</i>	231
Ionophore A23187 reduces energy charge by enhanced ion pumping in suspended human erythrocytes: <i>I. Engström, A. Waldenström & G. Ronquist</i>	239
Effects of ionophore gramicidin D on energy metabolism in human erythrocytes: <i>I. Engström, A. Waldenström & G. Ronquist</i>	247
Performance of the Reflotron and Seralyzer on primary health care: <i>G. Thue & S. Sandberg</i>	253
Aspects of preanalytical variation of lactoferrin and elastase/ α_1 -protease inhibitor complexes: <i>S. Antonsen, N. Qvist & M. Wanscher</i>	263
Interactions of vitamins A and E and retinol-binding protein in healthy Swedish children — evidence of thresholds of essentiality and toxicity: <i>P. Drott, S. Meurling & M. Gebre-Medhin</i>	275
Protein S degradation <i>in vitro</i> by neutrophil elastase: <i>I. Eckle, R. Seitz, R. Egbring, G. Kolb & K. Havemann</i>	281
Prognostic importance of plasma lipoprotein-analyses in patients with unstable coronary artery disease: <i>E. Swahn & H. Von Schenck</i>	289
Effects of platelets from men with risk factors for atherosclerosis on endothelial cell proliferation and prostacyclin production <i>in vitro</i> : <i>P. Falke, I. Mattiasson & L. Stavenow</i>	297

Referees

List of referees for 1992	305
-------------------------------------	-----

No. 4

Original Articles

Epinephrine induces β -adrenergic desensitization and differentiation of HL-60 cells: <i>B. E. Bang, J. Aarbakke & G. Sager</i>	311
An <i>in vitro</i> characterization of a silicone tonometer system for synchronous measurement of tissue oxygen- and carbon dioxide tension: <i>P. N. Larsen, I. Pedersen & F. Moesgaard</i>	317
Urinary D-glucaric acid, a marker substance for microsomal enzyme induction. Methodological aspects, responses to alcohol and findings in workers exposed to toluene: <i>O. Sandstad, T. Osnes, V. Skar & M. Osnes</i>	327
The 'midband' lipoprotein is a coronary risk factor in Japanese patients with familial hypercholesterolaemia: <i>J. Tashiro, T. Nishide, M. Shinomiya, K. Shirai, Y. Saito, S. Yoshida, M. Yamashita, H. Ohshima & H. Murayama</i>	335
Superoxide release by primary-cultured human hepatic macrophages and peripheral monocytes from patients with normal cirrhotic livers: <i>N. Funaki, S. Arii, Y. Adachi, H. Higashitsuji, J. Tanaka & T. Tobe</i>	339
Tumour necrosis factor- α can modulate the phenotype of aortic smooth muscle cells: <i>N. Morisaki, Q.-P. Xu, T. Koshikawa, Y. Saito, S. Yoshida & S. Ueda</i>	347
Effects of ovarian stimulation on blood pressure and plasma catecholamine levels: <i>A. Tollan, P. Oian, S. E. Kjeldsen, N. Holst & I. Eide</i>	353

Concentrations of pancreatic secretory trypsin inhibitor (PSTI), acute phase proteins, and neopterin in Crohn's disease. Comparison with clinical disease activity and endoscopic findings: <i>L. Halme, K. von Smitten, S. Stenman, U. Turpeinen & U.-H. Stenman</i>	359
pH optimum of the reduction of dehydroascorbic acid by dithioerythritol: <i>L. Ødum</i>	367
Ischaemia-reperfusion and toxic oxygen metabolites do not induce release of immunoreactive atrial natriuretic factor from isolated rat hearts: <i>G. Valen, I. Lettrem, J. Sundsfjord & J. Vaage</i>	373
Reduction of infarct volume by thrombolysis with rt-PA in an embolic rat stroke model: <i>K. Overgaard, T. Sereghy, G. Boysen, H. Pedersen & N. H. Diemer</i>	383
Does glibenclamide influence the clearance of insulin and glucose uptake in patients with type 2 diabetes mellitus?: <i>E. Widén</i>	395
The relationship between early insulin release and glucose tolerance in healthy subjects: <i>P. H. Groop, A. Melander & L. C. Groop</i>	405
Peripheral venous oxygen saturation during head-up tilt induced hypovolaemic shock in humans: <i>P. Madsen, H. L. Olesen, M. Klokke & N. H. Secher</i>	411
The effect of low-dose supplementation with n-3 polyunsaturated fatty acids on some risk markers of coronary heart disease: <i>H.-H. Lervang, E.B. Schmidt, J. Møller, N. Svaneborg, K. Varming, P.H. Madsen & J. Dyerberg</i>	417

No. 5

Invited Review

Magnetic resonance imaging and spectroscopy of the human heart: <i>J. Hartiala, H. Sakuma & C. B. Higgins</i>	425
-----------------------------------------------------------------------------------------------------------------------------	-----

Original Articles

The diagnostic and prognostic value of serum bone Gla protein (osteocalcin) in patients with recurrent breast cancer: <i>C. Kamby, C. Egsmose, G. Söletormos & P. Dombrowsky</i>	439
Oxygen radicals stimulate thromboxane and prostacyclin synthesis and induce vasoconstriction in pig lungs: <i>J. Sanderud, K. Bjørø & O. D. Saugstad</i>	447
Effectiveness of low-dose lovastatin combined with low-dose colestipol in moderate to severe primary hypercholesterolaemia: <i>S. Tonstad, L. Ose, C. Gørbitz, E. M. Harrison & H. J. de Koning Gans</i>	457
Homocysteine in frozen plasma samples. A short cut to establish hyperhomocysteinaemia as a risk factor for arteriosclerosis?: <i>B. Israelsson, L. Brattström & H. Refsum</i>	465
Cyclosporine A monitoring in patients with renal, cardiac, and liver transplants: a comparison between fluorescence polarization immunoassay and two different RIA methods: <i>S. Bergan, H. E. Rugstad, O. Stokke, Ø. Bentdal, T. Frøysaker & A. Bergan</i>	471
Unchanged noradrenaline reactivity and blood pressure after corrective surgery in primary hyperparathyroidism: <i>B. Jespersen, A. Brock, P. Charles, H. Danielsen, S. S. Sørensen & E. B. Pedersen</i>	479
Oligoclonal IgG in cerebrospinal fluid detected by isoelectric focusing using PhastSystem TM : <i>L.-O. Hansson, H. Link, L. Sandlund & R. Einarsson</i>	487
Studies on triglyceride metabolism: phosphatidate phosphohydrolase from guinea pig Harderian gland: <i>E. Humble & L. Berglund</i>	493

Erythrocyte deformability, endothelin levels, and renal function in cyclosporin-treated renal transplant recipients: effects of intervention with fish oil and corn oil: <i>N. H. Schut, H. J. G. Bilo, C. Popp-Snijders, P. T. Goedhart & J. M. Wilmink</i>	499
Estimation of blood-glucose variability in patients with insulin-dependent diabetes mellitus: <i>E. Moberg, M. Kollind, P.-E. Lins & U. Adamson</i>	507
Retinol and retinyl esters in rabbit bone marrow and blood leukocytes: <i>B. Skrede, A. E. Olafsdottir, R. Blomhoff & K. R. Norum</i>	515
Ion effects in measurement of sodium and ionized calcium in direct potentiometry: <i>F. Zoppi, E. Guagnellini & A. Manzoni</i>	521
Incomplete recovery of sodium determined in direct potentiometry in blood samples added with heparin salts: <i>F. Zoppi, E. Guagnellini & A. Manzoni</i>	529

No. 6

Original Articles

Turnover and distribution of cathepsin G in the rat: <i>P. Björk, A. Luts, F. Sundler & K. Ohlsson</i>	539
Disposal of atrial natriuretic factor (ANF ₉₉₋₁₂₆) in patients with cirrhosis: effect of beta-adrenergic blockade: <i>F. Bendtsen, A. L. Gerbes & J. H. Henriksen</i>	547
Effects of psychological stress on plasma interleukins-1 beta and 6, C-reactive protein, tumour necrosis factor alpha, anti-diuretic hormone and serum cortisol: <i>B. Dugué, E. A. Leppänen, A. M. Teppo, F. Fyhrquist & R. Gräsbeck</i>	555
Evaluation of a new chromogenic substrate assay for the measurement of the prothrombin time: <i>J. W. J. van Wersch</i>	563
Plasma immunoreactive Neuropeptide Y in congestive heart failure and during exercise: <i>B. K. Madsen, D. Husum, R. Videbaek, K. H. Stokholm, L. Saelsen & N. J. Christensen</i>	569
Diurnal blood pressure profile in patients with severe congestive heart failure: dippers and non-dippers: <i>J. Kastrup, H. Wroblewski, J. Sindrup, H. Rolighed Christensen & N. Wiinberg</i>	577
Effect of cold pressor test and awareness of hypertension on platelet function in normotensive and hypertensive women: <i>H. H. Mundal, G. Nordby, K. Lande, K. Gjesdal, S. E. Kjeldsen & I. Os</i>	585
Water immersion and salt-sensitivity in essential hypertension: <i>P. Coruzzi, L. Musiari, G. L. Mossini, R. Ceriati & A. Novarini</i>	593
Dose response dependency in regulation of acute PTH(1-84) release and suppression in normal humans: a citrate and calcium infusion study: <i>P. Schwarz</i>	601
Normocalcaemic hyperparathyroidism after parathyroidectomy: a retrospective study: <i>H. Mulder, J. Koster, W. H. L. Hackeng & H. van der Schaar</i>	607
Within-subject variation of elastase/ α_1 protease inhibitor complexes and lactoferrin in plasma: <i>S. Antonsen</i>	611
Protein profile in bronchoalveolar lavage fluid from patients with sarcoidosis and idiopathic pulmonary fibrosis as revealed by SDS-PAGE electrophoresis and Western blot analysis: <i>M. Uebelhoer, B. Bewig, M. Oldigs, D. Nowak, H. Magnussen, W. Petermann & J. Barth</i>	617
Decrease of ischaemic-reperfusion related lung oedema by continuous ventilation and allopurinol in rat perfusion lung model: <i>M. Okuda, K. Furuhashi, Y. Nakai & M. Muneyuki</i>	625

A clinical and biochemical study on tissue polypeptide antigen (TPA) in non-malignant hepatic disorders: <i>J. Collazos, J. Genollá & A. Ruibal</i>	633
The reference range for complexed α_2 -macroglobulin human plasma: development of a new enzyme linked-in immunosorbent assay (ELISA) for quantitation of complexed α_2 -macroglobulin: <i>M. H. Jespersen, J. Jensen, L. H. Rasmussen, E. Ejlersen, J. Møller-Petersen & H. U. Sperling-Petersen</i>	639

Recommendation

Establishing reference values from adults: recommendation on procedures for the preparation of individuals, collection of blood, and handling and storage of specimens: <i>T. Alström, R. Gräsbeck, B. Lindblad, H. E. Solberg, P. Winkel & L. Viinikka</i>	649
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----

No. 7

Original Articles

Determination of iron by the Ferrochem II: interference by tuberculostatics: <i>M. E. San José, A. Sarandeses, D. Alvarez, L. Valdés, B. Chomón & M. J. Del Río</i>	653
Haemostatic activation in patients with head injury with and without simultaneous multiple trauma: <i>J. V. Sørensen, H. P. Jensen, H. B. Rahr, L. C. Borris, M. R. Lassen, O. Fedders, J. P. Haase & F. Knudsen</i>	659
A simplified method to determine galactose elimination capacity in patients with liver disease: <i>M. Bergström, C. Söderman & L. S. Eriksson</i>	667
Cholecystokinin and somatostatin modulate the glucose-induced insulin secretion by different mechanisms in pancreatic islets: <i>D. Malm, A. Glæver, B. Vonen & J. Florholmen</i>	671
Diagnostic performance and prognostic value of serum troponin T in suspected acute myocardial infarction: <i>J. Ravkilde, M. Hørdér, W. Gerhardt, L. Ljungdahl, T. Pettersen, N. Tryding, B. H. Møller, A. Hamsfelt, T. Graven, A. Åsberg, M. Helin, I. Penttilä & K. Thygesen</i>	677
Genetic carrier detection in Norwegian families with acute intermittent porphyria: <i>E. Sagen, A. Lægried, M. Anvret, G. Lundin, L. Lannfelt, L. Lilius, Y. Floderus & I. Romslo</i>	687
Diagnostic accuracy evaluation using ROC curve analysis: <i>J. Huguet, M. J. Castiñeiras & X. Fuentes-Arderiu</i>	693
Increased activity of 5'nucleotidase in serum of patients with sickle cell anaemia: <i>A. O. Mohamed, A. Jansson & G. Ronquist</i>	701
Diagnosis of urinary tract infection by urine microscopy using a disposable counting chamber: <i>M. Hiraoka, Y. Hida, S. Tsuchida, H. Tsukahara, M. Yamashita, M. Kuroda & M. Sudo</i>	705
Rabbit lung macrophages stimulate platelets <i>in vitro</i> as observed by density-gradient centrifugation and transmission electron microscopy: <i>L. Jørgensen, G. J. Nilsen, D. W. Perry, J. F. Mustard & R. L. Kinlough-Rathbone</i>	711
The cost of screening for hypercholesterolaemia—results from a clinical trial in Swedish primary health care: <i>M. Johannesson, L. Borgquist, P. Nilsson-Ehle, B. Jönsson, T. Ekblom & L. Lindholm</i>	725
Increased lipolytic activity of sera from pre-eclamptic women due to the presence of a lysophospholipase: <i>M. J. Endresen, B. Lorentzen & T. Henriksen</i>	733
Pre-operative plasma tetranectin as a prognostic marker in ovarian cancer patients: <i>C. K. Høgdall, E. V. S. Høgdall, U. Hørding, I. Clemmensen, B. Nørgaard-Pedersen & K. Toftager-Larsen</i>	741

Gender difference in red blood cell thiopurine methyltransferase activity: <i>B. Klemetsdal, E. Wist & J. Aarbakke</i>	747
Modelling of serial carcinoembryonic antigen changes in colorectal cancer: <i>J. Carl, S. M. Bentzen, B. Nørgaard-Pedersen & O. Kronborg</i>	751
Total protein in common duct bile measured by acetonitrile precipitation and a micro bicinchoninic acid (BCA) method: <i>T. Osnes, O. Sandstad, V. Skar, M. Osnes & P. Kierulf</i>	757
Altered erythrocyte transmembrane transport of sodium and potassium in patients with conventional or reservoir ileostomy: <i>H. Brevinge, H. Herlitz & O. Jonsson</i>	765

No. 8

Original Articles

Efflux of cholesterol from cholesterol loaded macrophages by incubation with synthetic HDL-particles: <i>J. Westman, C. Roobol, C. Heymans, L. A. Carlson & E. Wülfert</i>	773
Antigen-specific human T-cell colony formation in a liquid culture system: <i>E. Keystone, L. Poplonski, K. M. Snow, C. Paige & R. G. Miller</i>	783
The effect of daily low-dose iron supplements in female blood donors with depleted iron stores: comparison with female non-donors: <i>B. Borch-Johnsen, R. Halvorsen, V. Stenberg, Ø. Flesland & P. Mowinckel</i>	789
Thyroid hormones, procollagen III peptide, body composition and basal metabolic rate in euthyroid individuals: <i>K. Stenlöf, L. Stöström, B. Fagerberg, E. Nyström & G. Lindstedt</i>	793
Morphine and morphine/naloxone modification of glucose, glucagon and insulin levels in fasted and fed rats: <i>O. Johansen, T. Tønnesen, T. Jensen, P. G. Burhol, R. Jorde & O. Reikerås</i>	805
Increased urinary polyamine excretion after starting a very low calorie diet: <i>M. Uusitupa, M. Pöyhönen, H. Sarlund, M. Laakso, A. Kari, T. Helenius, L. Alakuijala & T. Eloranta</i>	811
Contributory roles of circulatory glucagon and growth hormone to increased renal haemodynamics in type 1 (insulin-dependent) diabetes mellitus: <i>K. Hoogenberg, R. P. F. Dullaart, N. J. M. Freling, S. Meijer & W. J. Sluiter</i>	821
Estimated treatment responses in metastatic colorectal carcinoma based on longitudinal carcinoembryonic antigen series: <i>J. Carl, N. Brunsgaard, M. Kjaer & B. Nørgaard-Pedersen</i>	829
Comparison of three independent methods as estimates of platelet inhibition after a single dose of acetylsalicylic acid: <i>K.-E. Karlberg, J. Chen, N. Egberg, J. Nowak & C. Sylvén</i>	835
Concurrent neutral endopeptidase and ACE inhibition in experimental heart failure: renal and hormonal effects: <i>K. Helin</i>	843
Phosphofructokinase activity in human skeletal muscle: effects of euglycaemic hyperinsulinaemia and fasting: <i>A. Katz & Z. Yan</i>	853
Effect of captopril on the renal veno-arterial gradient of erythropoietin and oxygen in unilateral renal artery disease: <i>J. D. Jensen, H. Eiskjær, B. Madsen, M. Egeblad, C. B. Nielsen & E. B. Pedersen</i>	859
Urinary albumin excretion in a population based sample of 1011 middle aged non-diabetic subjects: <i>J. S. Jensen, B. Feldt-Rasmussen, K. Borch-Johnsen, G. Jensen & The Copenhagen City Heart Study Group</i>	867
Infusion of EPA and DHA lipid emulsions: effects on heart lipids and tolerance to ischaemia-reperfusion in the isolated rat heart: <i>J. Schjøtt, O.-L. Brekke, P. Jynge, K. S. Bjerve & T. Hamazaki</i>	873

Short Communication

Hypouricaemia in a hospital population: <i>M. Crook</i>	883
-------------------------------------------------------------------	-----

Indices

Index of key-words.	887
Index of authors.	890

